




# OVERLANDER


## WERKPLAATSINRICHTING



## PRODUCT CATALOGUE 2019

RUBBER PADS | RUBBER BLOCKS  
POLYMER BLOCKS | RUBBER PLATES  
SPECIAL EQUIPMENT | RUBBER RAMPS  
for automotive lifts

PROFITEER VAN MEER DAN 30 JAAR ERVARING ALS DÉ WERKPLAATSINRICHTER, WIJ DENKEN MEE!




**ord.nr.: 015**

Ø	a	b	d	e
115 mm	—	73 mm	20 mm	—

0,25 kg

suitable for:  
J.A.B. BECKER



**ord.nr.: 024481**

Ø	a	b	d	e
120 mm	—	75 mm	21 mm	—

0,15 kg

suitable for:  
J.A.B. BECKER




**ord.nr.: 169100MET**

Ø	a	b	d	e
120 mm	110 mm	—	4 mm	16 mm

with steel plate | 0,29 kg

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN / HERRMANN /  
AUTOP-STENHOJ / FINKBEINER




**ord.nr.: 169100**

Ø	a	b	d	e
120 mm	110 mm	—	4 mm	16 mm

0,15 kg

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN / HERRMANN /  
AUTOP-STENHOJ / FINKBEINER



**ord.nr.: 169130**

Ø	a	b	d	e
130 mm	122 mm	—	5 mm	17 mm

0,20 kg

suitable for:  
HERRMANN



**ord.nr.: 335022**

Ø	a	b	d	e
140 mm	132 mm	—	4 mm	17 mm

0,20 kg

suitable for:  
HOFMANN



ord.nr.: 335160-GS5.0

Ø	a	b	d	e
160 mm	148 mm	—	6 mm	24 mm

kg 0,38 kg

suitable for:  
HOFMANN

ord.nr.: 336000

a	b	d	w	l
154 mm	82 mm	10 mm	92 mm	162 mm

kg 0,24 kg

suitable for:  
HOFMANN / ROMEICO

ord.nr.: 01103031

Ø	a	b	d	e
125 mm	120 mm	90 mm	24 mm	—

with steel plate | kg 0,30 kg

suitable for:  
NUSSBAUM / ATT / AMI / AMMCO / FORCE / WHEELTRONIC /  
PHOENIX / SNAP-ON

ord.nr.: GK125/120

Ø	a	b	d	e
127 mm	120 mm	83 mm	9 mm	28 mm

with steel plate | kg 0,35 kg

suitable for:  
SLIFT / IME

ord.nr.: GK155/16

Ø	a	b	d	e
155 mm	153 mm	85 mm	16 mm	—

with steel plate | kg 0,38 kg


suitable for:  
SLIFT / IME

ord.nr.: GK122/12

Ø	a	b	d	e
122 mm	116 mm	80 mm	12 mm	—

with steel plate | kg 0,15 kg

suitable for:  
SLIFT / IME




ord.nr.: 36001.04.04.001

Ø	a	b	d	e
120 mm	112 mm	83 mm	5 mm	18 mm

kg 0,15 kg

suitable for:  
MAHA / SLIFT / AUTOMASTER



ord.nr.: 115172024

Ø	a	b	d	e
100 mm	90 mm	63 mm	5 mm	17,5 m

kg 0,10 kg

suitable for:  
MAHA / SLIFT



ord.nr.: 17202301MET

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm

with steel plate | kg 0,26 kg

suitable for:  
MAHA



ord.nr.: 17202301

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm

kg 0,15 kg

suitable for:  
MAHA



ord.nr.: 121KP6Z215

Ø	a	b	d	e
144 mm	117 mm	—	20 mm	—

kg 0,30 kg

suitable for:  
RAVAGLIOLI



ord.nr.: 047021040

Ø	a	b	d	e
145 mm	—	45 mm	26 mm	—

kg 0,30 kg

suitable for:  
RAVAGLIOLI



ord.nr.: 04640577

Ø	a	b	d	e
120 mm	—	36 mm	27 mm	—

kg 0,25 kg

suitable for:  
RAVAGLIOLI

ord.nr.: 046405772MET

Ø	a	b	d	e
123 mm	110 mm	—	10 mm	25 mm


with steel plate | kg 0,30 kg

suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI

ord.nr.: 046405772

Ø	a	b	d	e
123 mm	110 mm	—	10 mm	25 mm

kg 0,15 kg

suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI

ord.nr.: 047021850MET

Ø	a	b	d	e
100 mm	87 mm	—	9 mm	21 mm

with steel plate | kg 0,17 kg

suitable for:  
RAVAGLIOLI / SIRIO / SPACE

ord.nr.: 047021850

Ø	a	b	d	e
100 mm	87 mm	—	9 mm	21 mm

kg 0,10 kg

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME / MOLNAR

ord.nr.: 047021041

Ø	a	b	d	e
148 mm	133 mm	—	10 mm	25 mm

kg 0,26 kg

suitable for:  
RAVAGLIOLI





ord.nr.: OMCN-140

Ø	a	b	d	e
143 mm	—	—	27 mm	—

kg 0,35 kg

suitable for:  
OMCN



ord.nr.: OMCN-140-002

Ø	a	b	d	e
140 mm	—	42 mm	29 mm	—

kg 0,31 kg

suitable for:  
OMCN




ord.nr.: WERTHER002

Ø	a	b	d	e
140 mm	—	—	15 mm	—

kg 0,25 kg

suitable for:  
WERTHER / OMA / BRADBURY / TECALEMIT / AUTEK




ord.nr.: WERTHER001-B1007

Ø	a	b	d	e
122 mm	114 mm	—	10 mm	28 mm

kg 0,23 kg

suitable for:  
WERTHER / OMA / TECALEMIT / ITALGARAGE / FINKBEINER



ord.nr.: WERTHER001-B2653

Ø	a	b	d	e
85 mm	39 mm	—	29 mm	50 mm

kg 0,31 kg

suitable for:  
WERTHER




ord.nr.: 15.87.425

Ø	a	b	d	e
127 mm	123 mm	—	8 mm	22 mm


kg 0,15 kg

suitable for:  
ZIPPO / FOG





ord.nr.: 15.87.410

Ø	a	b	d	e
100 mm	—	35 mm	17mm	—

with steel plate |  0,24 kgsuitable for:  
ZIPPO / GRUSE

ord.nr.: 15.87.420

Ø	a	b	d	e
120 mm	—	44 mm	16 mm	—

with steel plate |  0,30 kgsuitable for:  
ZIPPO

ord.nr.: 15.87.450

Ø	a	b	d	e
149 mm	—	60 mm	15 mm	—

with steel plate |  0,75 kgsuitable for:  
ZIPPO

ord.nr.: 15.87.453

Ø	a	b	d	e
153 mm	—	60 mm	32 mm	—

with steel plate |  0,75 kgsuitable for:  
ZIPPO


ord.nr.: 02-CONSUL

Ø	a	b	d	e
138 mm	—	—	18 mm	—

with steel plate |  0,75 kgsuitable for:  
CONSUL

ord.nr.: 02-CONSUL-01

Ø	a	b	d	e
135 mm	35 mm	40 mm	—	—


complete rotating plate |  1,40 kgsuitable for:  
CONSUL / ZIPPO / BEISSBARTH



**ord.nr.: 02-CONSUL-01-CA**

Ø	a	b	d	e
135 mm	35 mm	40 mm	—	—
rotating plate incl. changeable rubber pad    1,50 kg				

suitable for:  
CONSUL / ZIPPO / BEISSBARTH



**ord.nr.: 02-CONSUL-01-GTRP**

Ø	a	b	d	e
135 mm	129 mm	—	8 mm	10 mm
with steel plate    0,30 kg				


suitable for:  
CONSUL / ZIPPO / BEISSBARTH / HERRMANN



**ord.nr.: 664202**

Ø	a	b	d	e
121 mm	—	65 mm	9 mm	—
with steel plate    0,20 kg				

suitable for:  
AUTOP-STENHOJ / FOG / CAR-O-LINER



**ord.nr.: 664000**

Ø	a	b	d	e
122 mm	—	65 / 88	18 mm	—
0,18 kg				

suitable for:  
AUTOP-STENHOJ / NUSSBAUM / FOG / CAR-O-LINER



**ord.nr.: 664160**

Ø	a	b	d	e
158 mm	—	47 mm	11 mm	—
with steel plate    0,40 kg				

suitable for:  
AUTOP-STENHOJ



**ord.nr.: SK2030-105**

Ø	a	b	d	e
109 mm	100 mm	—	10 mm	26 mm
0,15 kg				

suitable for:  
KONI / BRADBURY / HERKULES / TECALEMIT / MAJORLIFT





ord.nr.: SK2030-124

Ø	a	b	d	e
124 mm	118 mm	—	5 mm	17 mm

kg 0,10 kg

suitable for:  
KONI

ord.nr.: SK2030-160

Ø	a	b	d	e
160 mm	153 mm	—	10 mm	28 mm

kg 0,33 kg

suitable for:  
KONI / ROMEICO / CAR-O-LINER / HH-INTERTECH /  
BEISSBARTH

ord.nr.: ROMEICO124

Ø	a	b	d	e
124 mm	116 mm	—	10 mm	22 mm


kg 0,15 kg

suitable for:  
ROMEICO / HH-INTERTECH / CORGHI / GRAZIA

ord.nr.: ROTARY

Ø	a	b	d	e
123 mm	112 mm	—	8 mm	20 mm

kg 0,17 kg

suitable for:  
ROTARY

ord.nr.: ROTARY-FJRP

b	c	d	w	l
80 mm	56 mm	8 mm	82 mm	104 mm

kg 0,12 kg

suitable for:  
ROTARY

NEW

ord.nr.: ROTARY-PU7352

a	b	d	w	l
116 mm	80 mm	9 mm	89 mm	128 mm

kg 0,12 kg

suitable for:  
ROTARY



ord.nr.: ZAV-41-113

Ø	a	b	d	e
128 mm	112 mm	—	8 mm	22 mm

kg 0,20 kg

suitable for:  
EUROLIFT / ORLANDINI




ord.nr.: IST0720300

Ø	a	b	d	e
155 mm	147 mm	—	6 mm	24 mm

kg 0,27 kg

suitable for:  
ISTOBAL / VELYEN




ord.nr.: IST1304800

Ø	a	b	d	e
145 mm	—	60 mm	5 mm	—

kg 0,10 kg

suitable for:  
ISTOBAL / VELYEN / SOURIAU



ord.nr.: VEL001

Ø	a	b	d	e
121 mm	—	46 mm	7 mm	—

kg 0,10 kg

suitable for:  
ISTOBAL / VELYEN



ord.nr.: LAUNCH120

Ø	a	b	d	e
120 mm	108 mm	66 mm	32 mm	—

kg 0,30 kg

suitable for:  
LAUNCH / EVER ETERNAL / TWIN BUSCH / RP TOOLS / ATH-  
HEINL / LINCOS / many chinese manufactured lifts



ord.nr.: AGM139

Ø	a	b	d	e
139 mm	130 mm	—	8 mm	28 mm

kg 0,30 kg

suitable for:  
AGM / CORGHI / FOG / SICE / MOLNAR



ord.nr.: CASCOS001

Ø	a	b	d	e
138 mm	130 mm	—	8 mm	25 mm

kg 0,26 kg

suitable for:  
CASCOS / VILVER

ord.nr.: BRADBURY001

Ø	a	b	d	e
158 mm	148 mm	—	11 mm	27 mm

kg 0,37 kg

suitable for:  
BRADBURY / HH-INTERTECH

ord.nr.: BRADBURY002

Ø	a	b	d	e
150 mm	142 mm	—	7 mm	22 mm


kg 0,21 kg

suitable for:  
BRADBURY

ord.nr.: RANGER001

a	b	d	w	l
126 mm	—	13 mm	143 mm	143 mm

kg 0,50 kg

suitable for:  
BENDPAK / RANGER / DANMAR

ord.nr.: BENDPAK002

b	c	d	w	l
88 mm	88 mm	12 mm	119 mm	119 mm

kg 0,20 kg

suitable for:  
BENDPAK

ord.nr.: BENDPAK003

Ø	a	b	d	e
127 mm	111 mm	—	11 mm	26 mm

kg 0,26 kg

suitable for:  
BENDPAK



**ord.nr.: BENDPAK004**

a	b	d	w	l
126 mm	—	13 mm	143 mm	143 mm

0,50 kg

suitable for:  
BENDPAK / RANGER / DANMAR



**ord.nr.: LAYCOCK001**

a	b	d	w	l
140 mm	70 mm	12 mm	80 mm	150 mm

0,27 kg

suitable for:  
LAYCOCK / KISMET




**ord.nr.: SILENT001**

b	c	d	w	l
60 mm	40 mm	20 mm	83 mm	118 mm

0,27 kg

suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts



**ord.nr.: SILENT001MET**

b	c	d	w	l
60 mm	40 mm	20 mm	83 mm	118 mm

with steel plate | 0,35 kg

suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts



**ord.nr.: HPOW001**

Ø	a	b	d	e
120 mm	—	25 mm	17 mm	—

0,21 kg

suitable for:  
POWERREX / HESHBON / AUTOP-STENHOJ / many chinese  
manufactured lifts




**ord.nr.: HPOW002**

Ø	a	b	d	e
120 mm	—	25 mm	25 mm	—



0,32 kg

suitable for:  
POWERREX / HESHBON / ROTARY / JIG / QUALITY LIFTS /  
many chinese manufactured lifts





ord.nr.: BISHAMON001

b	c	d	w	l
74 mm	40 mm	20 mm	80 mm	116 mm

with steel plate |  0,28 kgsuitable for:  
BISHAMON / CHIANG LURN / CARLEO


ord.nr.: BISHAMON002

b	c	d	w	l
45 mm	40 mm	16 mm	92 mm	112 mm

with steel plate |  0,31 kgsuitable for:  
BISHAMON / BENWIL


ord.nr.: GTCN001

Ø	a	b	d	e
125 mm	—	90 mm	10 mm	—

 0,17 kgsuitable for:  
AUTOMOTECH / EVER ETERNAL / TWIN BUSCH /  
HANMECSON / FORWARD / many chinese manufactured lifts

ord.nr.: GTCN002

Ø	a	b	d	e
120 mm	—	—	12 mm	—

 0,21 kgsuitable for:  
AUTOP-STENHOJ / HESHBON / TWIN BUSCH / LINCOS /  
PROVAC / KRÖMER / many chinese manufactured lifts

ord.nr.: GTCN002-RNG

Ø	a	b	d	e
132 mm	—	119 mm	14 mm	9 mm


 0,21 kgsuitable for:  
many chinese manufactured lifts

ord.nr.: GTCN003

Ø	a	b	d	e
120 mm	—	—	15 mm	—

 0,21 kgsuitable for:  
FOG / DUNLOP / many chinese manufactured lifts






NEW

ord.nr.: GTCN004

Ø	a	b	d	e
140 mm	130 mm	50 mm	10 mm	32 mm

kg 0,40 kg

suitable for:  
NORDIC LIFT / TWIN BUSCH / many chinese manufactured lifts




ord.nr.: GTCN005

b	c	d	w	l
105 mm	50 mm	e = 8 mm	75 mm	125 mm

kg 0,21 kg

suitable for:  
EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese manufactured lifts




NEW

ord.nr.: GTCN006

Ø	a	b	d	e
120 mm	105 mm	66 mm	8 mm	25 mm

kg 0,21 kg

suitable for:  
EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese manufactured lifts




NEW

ord.nr.: GTCN008

Ø	a	b	d	e
140 mm	—	—	21 mm	—

kg 0,35 kg

suitable for:  
TWIN BUSCH / ATH-HEINL / many chinese manufactured lifts




ord.nr.: NORDLIFT17200

Ø	a	b	d	e
127 mm	115 mm	—	7 mm	23 mm

kg 0,17 kg

suitable for:  
NORDLIFT



ord.nr.: 149950

b	c	d	w	l
73 mm	—	18 mm	81 mm	100 mm

kg 0,15 kg

suitable for:  
J.A.B. BECKER



ord.nr.: 100100

a	b	d	w	l
108 mm	—	12 mm	120 mm	120 mm

kg 0,18 kg

suitable for:  
COMPAC

ord.nr.: AC-GS1

Ø	a	b	d	e
110 mm	—	—	20 mm	—

kg 0,17 kg

suitable for:  
AC HYDRAULIC

ord.nr.: AC-GS2

a	b	d	w	l
100 mm	50 mm	10 mm	60 mm	110 mm

kg 0,15 kg

suitable for:  
AC HYDRAULIC / MAHA / ROTARY

ord.nr.: COL001

Ø	a	b	d	e
89 mm	80 mm	—	17 mm	—

kg 0,10 kg

suitable for:  
CAR-O-LINER



**WERKPLAATSINRICHTING**

**OVERLANDER B.V.**

Morseweg 2, 3899 BP Zeewolde

**T** +31 (0)36 52 19 200

**E** [info@overlander.nl](mailto:info@overlander.nl)

**[WWW.OVERLANDER.NL](http://WWW.OVERLANDER.NL)**